

Bibliography

- Agence Nationale de la Statistique et de la Démographie (ANSD)[Sénégal], & ICF (2012). *Enquête démographique de la santé à indicateurs multiples au Sénégal (EDS-MICS) 2010-2011*. Calverton, MD.
- Agence Nationale de la Statistique et de la Démographie (ANSD)[Sénégal], & ICF. (2018). *Sénégal: Enquête Démographique et de Santé Continue (EDS-Continue 2017)*. Rockville, MD.
- ANSD and ICF. (2016). *Enquête Continue sur la Prestation des Services de Soins de Santé (ECPSS)*.
- Atukunda, E. C., Brhlikova, P., Agaba, A. G., & Pollock, A. M. (2015). Civil Society. Organizations and medicines policy change: A case study of registration, procurement, distribution and use of misoprostol in Uganda. *Social Science & Medicine*, 130, 242-249. <https://doi.org/10.1016/j.socscimed.2015.02.022>
- Ba DM, Zhang Y, Pasha-Razzak O, Khunsriraksakul C, Maiga M, Chinchilli VM, et al. (2023) Factors associated with pregnancy termination in women of childbearing age in 36 low-and middle-income countries. *PLOS Glob Public Health* 3(2): e0001509. <https://doi.org/10.1371/journal.pgph.0001509>
- Bankole A. et al, *Unintended Pregnancy and Induced Abortion in Burkina Faso: Causes and Consequences*. New York: Guttmacher Institute, 2013.
- Baynes, C., Diadhiou, M., Lusiola, G., O'Connell, K., & Dieng, T. (2021a). Understanding the financial burden of incomplete abortion: An analysis of the out-of-pocket expenditure on postabortion care in eight public-sector health care facilities in Dakar, Senegal. *Global Public Health*, 1-16.
- Baynes, C., Diadhiou, M., Lusiola, G., O'Connell, K., & Dieng, T. (2021b). Clients' perceptions of the quality of post-abortion care in eight health facilities in Dakar, Senegal. *Journal of Biosocial Science*, 1-16.
- Bell, S. O., Guiella, G., Byrne, M. E., Bazie, F., Onadja, Y., Thomas, H. L., & Moreau, C. (2022). Induced abortion incidence and safety in Burkina Faso in 2020: Results from a population-based survey using direct and social network-based estimation approaches. *Plos one*, 17(11), e0278168.
- Bell, S., Passano, P., Bohl, D., Islam, A., and Prata, N. (2014). Training traditional birth attendants on the use of misoprostol and a blood measurement tool to prevent postpartum haemorrhage: lessons learned from Bangladesh. *J. Health Popul. Nutr.* 32, 118-129.
- Bernard, H.R., and Ryan, G.W. (2009). *Analyzing qualitative data: Systematic approaches*. Los Angeles, CA: Sage Publications.
- Billings, D. L., Walker, D., del Paso, G. M., Clark, K. A., & Dayananda, I. (2009). Pharmacy worker practices related to use of misoprostol for abortion in one Mexican state. *Contraception*, 79(6), 445-451.

Blum, J., Winikoff, B., Raghavan, S., Dabash, R., Ramadan, M. C., Dilbaz, B., ... & Ngoc, N. T.N. (2010). Treatment of postpartum haemorrhage with sublingual misoprostol versus oxytocin in women receiving prophylactic oxytocin: a double-blind, randomised, non-inferiority trial. *The Lancet*, 375(9710), 217-223.

Compaore, R., Ouedraogo, A. M., Baguiya, A., Kpebo, D. O., Sidibe, S., & Kouanda, S. (2022). Availability and utilization of postabortion care services in Burkina Faso, Côte d'Ivoire, and Guinea: a secondary analysis of emergency obstetric and neonatal care needs assessments (EmONC). *Health Services Insights*, 15, 11786329221092625.

Chandra-Mouli, V., Lenz, C., Adebayo, E., Lang Lundgren, I., Gomez Garbero, L., & Chatterjee, S. (2018). A systematic review of the use of adolescent mystery clients in assessing the adolescent friendliness of health services in high, middle, and low-income countries. *Global health action*, 11(1), 1536412.

Cleeve, A., Nalwadda, G., Zadik, T., Sterner, K., & Allvin, M. K. (2019). Morality versus duty-A qualitative study exploring midwives' perspectives on post-abortion care in Uganda. *Midwifery*, (77) 71-77.

Corbin, J.M. and Strauss, A.L. (2008). *Basics of qualitative research: Techniques and procedures for developing grounded theory*. Los Angeles, CA: Sage Publications.

Dao, B., Blum, J., Thieba, B., Raghavan, S., Ouedraego, M., Lankoande, J., et al. (2007). Is misoprostol a safe, effective and acceptable alternative to manual vacuum aspiration for post-abortion care? Results from a randomized trial in Burkina Faso, West Africa. BJOG 114 (11), 1368-1375. doi:10.1111/j.1471-0528.2007.01468.x

De Zordo, S. (2016). The biomedicalisation of illegal abortion: The double life of misoprostol in Brazil. *História, Ciências, Saúde-Manguinhos*, 23(1), 19-36. <https://doi.org/10.1590/S0104-59702016000100003>

Diadhiou, F., Faye, E. O., Sangare, M., & Diouf, A. (1995). *Mortalité et morbidité liées aux avortements provoqués clandestins dans quatres sites de référence Dakarois au Sénégal*.

Diadhiou, M., Dieng, T., Ortiz, C., Mall, I., Dione, D., & Sloan, N. L. (2011). Introduction of misoprostol for prevention of postpartum hemorrhage at the community level in Senegal. *International Journal of Gynecology & Obstetrics*, 115(3), 251-255.

Diop, A., Daff, B., Sow, M., Blum, J., Diagne, M., Sloan, N. L., & Winikoff, B. (2016). Oxytocin via Uniject (a prefilled single-use injection) versus oral misoprostol for prevention of postpartum haemorrhage at the community level: A cluster-randomised controlled trial. *The Lancet Global Health*, 4(1), e37-e44.

Diop, Nafissatou J., Babacar Mane, Ousseynou Faye, Cheikh Ibrahima Niang, Thiaba Thiaw, Aissatou Sano Coly, Fatou Mbow, and Youmane Niang Faye. 2009. "Enquête sur la contraception d'urgence (CU) au niveau des pharmacies," Rapport final [executive summary in English; report in French]. Dakar: Population Council.

DKT International. (2021). Monthly Sales Report. Retrieved from: <https://2umya83uy24b2nu5ug2708w5-wpengine.netdna-ssl.com/wp-content/uploads/2022/02/2021-Sales-Results-v2022.02.11-Final.pdf>

Dodge, L. E., Haider, S., & Hacker, M. R. (2012). Using a simulated patient to assess referral for abortion services in the USA. *Journal of Family Planning and Reproductive Health Care*, 38(4), 246-251

Drabo, S. (2019). A Pill in the Lifeworld of Women in Burkina Faso: Can Misoprostol Reframe the Meaning of Abortion. *International Journal of Environmental Research and Public Health*, 16(22), 4425.

Erdman, J. N., Jelinska, K., & Yanow, S. (2018). Understandings of self-managed abortion as health inequity, harm reduction and social change. *Reproductive Health Matters*, 26(54), 13-19.

Fernandez, M. M., Coeytaux, F., Gomez Ponce de León, R., & Harrison, D. L. (2009). Assessing the global availability of misoprostol. *International Journal of Gynecology & Obstetrics*, 105(2), 180-186.

Footman, K., Keenan, K., Reiss, K., Reichwein, B., Biswas, P., & Church, K. (2018). Medical Abortion Provision by Pharmacies and Drug Sellers in Low-and Middle-Income Countries: A Systematic Review. *Studies in Family Planning*, 49(1), 57-70.

Ganle, J. K., Busia, N. T., & Maya, E. (2019). Availability and prescription of misoprostol for medical abortion in community pharmacies and associated factors in Accra, Ghana. *International Journal of Gynaecology and Obstetrics*, 144(2), 167-173. <https://doi.org/10.1002/ijgo.12717>

Gaye, A., Diop, A., Shochet, T., & Winikoff, B. (2014). Decentralizing postabortion care in Senegal with misoprostol for incomplete abortion. *International Journal of Gynecology & Obstetrics*, 126(3), 223-226.

Guttmacher Institute. (2015). *Abortion in Senegal*. Retrieved July 9, 2019, from Guttmacher Institute website

Harvey, P. (2015). Medical abortion: The hidden revolution. *The Journal of Family Planning and Reproductive Health Care*, 41(3), 193-196. PubMed. <https://doi.org/10.1136/jfprhc-2014-100990>

Henderson, C., El-Refaey, H., & Potts, M. (2012). Misoprostol in practice. *Postpartum Hemorrhage*, 284-288.

Hendrickson, C., Fetters, T., Mupeta, S., Vwallika, B., Djemo, P., & Raisanen, K. (2016). Client-pharmacy worker interactions regarding medical abortion in Zambia in 2009 and 2011. *International Journal of Gynecology & Obstetrics*, 132(2), 214-218.

Henshaw, S. K., Adewole, I., Singh, S., Bankole, A., Oye-Adeniran, B., & Hussain, R. (2008). Severity and cost of unsafe abortion complications treated in Nigerian hospitals. *International family planning perspectives*, 34 (1), 40-50.

Hernandez, J. H., Mbadu, M. F., Garcia, M., & Glover, A. (2018). The provision of emergency contraception in Kinshasa's private sector pharmacies: experiences of mystery clients. *Contraception*, 97(1), 57-61.

Hernandez, J. H., Akilimalib, P., & Mbadu, M. F. (2020). Provision of Emergency Contraceptive Pills in Kinshasa's Informal Drug Shops: Results from a Mystery Client Study. *International Perspectives on Sexual and Reproductive Health*, 46, 89-97.

Huda, F. A., Ngo, T. D., Ahmed, A., Alam, A., & Reichenbach, L. (2014). Availability and provision of misoprostol and other medicines for menstrual regulation among pharmacies in Bangladesh via mystery client survey. *International Journal of Gynecology & Obstetrics*, 124(2), 164-168.

Huntington, D., & Schuler, S. R. (1993). The simulated client method: evaluating client-provider interactions in family planning clinics. *Studies in family planning*, 187-193.

Hyman, A., Blanchard, K., Coeytaux, F., Grossman, D., & Teixeira, A. (2013). Misoprostol in women's hands: A harm reduction strategy for unsafe abortion. *Contraception*, 87(2), 128-130.

Ibiyemi, K. F., Ijaiya, M. A., and Adesina, K. T. (2019). Randomised trial of oral misoprostol versus manual vacuum aspiration for the treatment of incomplete abortion at a Nigerian tertiary hospital. *Sultan Qaboos Univ. Med. J.* 19 (1), e38-e43. doi:10.18295/squmj.2019.19.01.008

Institute for Health and Development (ISED). (2014). *Baseline study of the "Community Based Maternal and Newborn Health (CBMNH) in the Kolda region of Senegal*. Cheikh Anta Diop University: Dakar, Senegal.

Izugbara, C. O., Egesa, C., & Okelo, R. (2015). 'High profile health facilities can add to your trouble': Women, stigma and un/safe abortion in Kenya. *Social Science & Medicine*, 141, 9-18.

Izugbara, C., Wekesah, F. M., Sebany, M., Echoka, E., Amo-Adjei, J., & Muga, W. (2020). Availability, accessibility and utilization of post-abortion care in sub-Saharan Africa: a systematic review. *Health care for women international*, 41(7), 732-760.

Kagaha, A., & Manderson, L. (2020). Medical technologies and abortion care in Eastern Uganda. *Social Science & Medicine*, 247, 112813, <https://doi.org/10.1016/j.socscimed.2020.112813>

Kiemtoré, S., Zamané, H., Sawadogo, Y. A., Ouédraogo, C. M., Kaïn, D. P., Diallo, A. A., ...Lankoandé, J. (2016). Integration of Post Abortion Care Package in the Activity of 56 Health Facilities by the Burkina Faso Society of Obstetricians and Gynecologists (SOGOB). *Open Journal of Obstetrics and Gynecology*, 6(8), 457-462.

Kristof, N. (2010, July 31). Opinion | Another Pill That Could Cause a Revolution. *The New York Times*. <https://www.nytimes.com/2010/08/01/opinion/01kristof.html>

Kulczycki, A. (2016). The imperative to expand provision, access and use of misoprostol for post-abortion care in sub-Saharan Africa. *African journal of reproductive health*, 20(3), 22-25.

Kumar, A., Hessini, L., & Mitchell, E. M. (2009). Conceptualising abortion stigma. *Culture, health & sexuality*, 11(6), 625-639.

Lara, D., Abuabara, K., Grossman, D., & Díaz-Olavarrieta, C. (2006). Pharmacy Provision of medical abortifacients in a Latin American city. *Contraception*, 74(5), 394-399.

Lara, D., García, S. G., Wilson, K. S., & Paz, F. (2011). How often and under which circumstances do Mexican pharmacy vendors recommend misoprostol to induce an abortion?. *International perspectives on sexual and reproductive health*, 75-83.

Lazarus, A. (2009). Improving psychiatric services through mystery shopping. *Psychiatric Services*, 60(7), 972-973.

Levandowski, B., Voetagbe, G., Danquah, D., Sneeringer, R., & Jehu-Appiah, K. (2012). Misoprostol provision through community pharmacy and licensed chemical shops in Ghana. *Contraception*, 86(3), 300.

Lofland, J. and Lofland, L.H. (2006). *Analyzing social settings*. Belmont, CA: Wadsworth.

MacDonald, M. E. (2020). Misoprostol: The Social Life of a Life-saving Drug in Global Maternal Health. *Science, Technology, & Human Values*, 0162243920916781. <https://doi.org/10.1177/0162243920916781>

Madden, J. M., Quick, J. D., Ross-Degnan, D., & Kafle, K. K. (1997). Undercover careseekers: simulated clients in the study of health provider behavior in developing countries. *Social science & medicine*, 45(10), 1465-1482.

Mchome, Z., Richards, E., Nnko, S., Dusabe, J., Mapella, E., & Obasi, A. (2015). A 'mystery client' evaluation of adolescent sexual and reproductive health services in health facilities from two regions in Tanzania. *PLoS One*, 10(3), e0120822.

Medical Abortion Technologies Database (MedAb). <https://www.medab.org/>

Ministère de la Santé et de l'Action Sociale, CEFOREP, & UNFPA. (2017). *Evaluation rapide de la disponibilité, de l'utilisation, et de la qualité des soins obstétricaux et neonataux d'urgence au Sénégal, 2015 à 2016*.

Ministère de la Santé. *Annuaire Statistique 2020*. Ouagadougou, Burkina Faso.

Moore, A. M., Blades, N., Ortiz, J., Whitehead, H., & Villarreal, C. (2020). What does informal access to misoprostol in Colombia look like? A mystery client methodology in Bogotá and the Coffee Axis. *BMJ Sexual & Reproductive Health*, 46(4), 294-300.

Moore, A. M., Philbin, J., Ariawan, I., Budiharsana, M., Murro, R., Aryanty, R. I., & Bankole, A. (2020). Online abortion drug sales in Indonesia: a quality of care assessment. *Studies in Family Planning*, 51(4), 295-308.

Moriarty, H., McLeod, D., & Dowell, A. (2003). Mystery shopping in health service evaluation. *The British journal of general practice*, 53(497), 942.

Moseson, H., Herold, S., Filippa, S., Barr-Walker, J., Baum, S. E., & Gerdts, C. (2020). Self-managed abortion: a systematic scoping review. *Best practice & research Clinical obstetrics & gynaecology*, 63, 87-110.

Moussa, H. (2023). *Yearning and refusal: An Ethnography of Female Fertility Management in Niamey, Niger*. Oxford University Press.

Murtagh, C., Wells, E., Raymond, E. G., Coeytaux, F., & Winikoff, B. (2018). Exploring the feasibility of obtaining mifepristone and misoprostol from the internet. *Contraception*, 97(4), 287-291.

Mutua, M. M., Manderson, L., Musenge, E., & Achia, T. N. O. (2018). Policy, law and post-abortion care services in Kenya. *PLOS ONE*, 13(9), e0204240.
<https://doi.org/10.1371/journal.pone.0204240>

Ouedraogo, R. (2015). « L'avortement, ses pratiques et ses soins ». Une anthropologie des Jeunes au prisme des normes sociales et des politiques publiques de santé au Burkina Faso [Phdthesis, Université de Bordeaux]. <https://tel.archives-ouvertes.fr/tel-01283691>

Ouedraogo, I., Sib, S. R., Kiemtore, S., Sawadogo, Y., Kain, D. P., Zamane, H., . & Bonané-Thiéba, B. (2017). Maternal Mortality in the Obstetrics and Gynecology Service of Regional Hospital Center of Ouahigouya: Epidemiological, Etiological Aspects and Contributing Factors- About 151 Cases Collected in Three Years from 1st January 2013 to 31 December 2015. *Open Journal of Obstetrics and Gynecology*, 7(4), 447-454.

Ouedraogo, R., & Juma, K. (2020). From the shadows to light. Perceptions of women and healthcare providers of post-abortion care in Burkina Faso. *Social Science & Medicine*, 260, 113154-113154. PRIME.

Owolabi, O. O., Biddlecom, A., & Whitehead, H. S. (2019). Health systems' capacity to provide post-abortion care: a multicountry analysis using signal functions. *The Lancet Global Health*, 7(1), e110–e118. [https://doi.org/10.1016/S2214-109X\(18\)30404-2](https://doi.org/10.1016/S2214-109X(18)30404-2)

Parmar, D., Leone, T., Coast, E., Murray, S. F., Hukin, E., & Vwalika, B. (2017). Cost of abortions in Zambia: A comparison of safe abortion and post abortion care. *Global Public*

Health, 12(2), 236-249. <https://doi.org/10.1080/17441692.2015.1123747>

Performance Monitoring for Action (2021). *Résultats de l'enquête PMA sur l'interruption volontaire de grossesse: Burkina Faso, décembre 2020 – mars 2021*. Institut Supérieur des Sciences de la Population, Université Joseph Ki-Zerbo, Ouagadougou, Burkina Faso.

Powell-Jackson, T., Acharya, R., Filippi, V., & Ronsmans, C. (2015). Delivering medical abortion at scale: a study of the retail market for medical abortion in Madhya Pradesh, India. *PloS one*, 10(3), e0120637.

Prada, E., Mirembe, F., Ahmed, F. H., Nalwadda, R., & Kiggundu, C. (2005). Abortion and postabortion care in Uganda: a report from health care professionals and health facilities. *Occasional Report*, 17. Retrieved from the Guttmacher Institute: <https://www.guttmacher.org/sites/default/files/pdfs/pubs/2005/05/28/or17.pdf>

Prata, N., Quaiyum, M. A., Passano, P., Bell, S., Bohl, D. D., Hossain, S., et al. (2012). Training traditional birth attendants to use misoprostol and an absorbent delivery mat in home births. *Soc. Sci. Med.* 75 (11), 2021-2027. doi:10.1016/j.socscimed.2012.06.028

Population Council and Step Up. (2016). *Senegal: The impact of a study on misoprostol knowledge and use amongst pharmacists*. https://www.popcouncil.org/uploads/pdfs/2016STEPUP_SenegalMisoPharmacies.pdf

Raghavan, S., Abbas, D., and Winikoff, B. (2012). Misoprostol for prevention and treatment of postpartum hemorrhage: What do we know? What is next? *Int. J. Gynaecol. Obstet.* 119, S35–S38. doi:10.1016/j.ijgo.2012.03.013

Reiss, K., Footman, K., Burke, E., Diop, N., Ndao, R., Mane, B., ... Ngo, T. (2014). Knowledge and provision of misoprostol among pharmacy workers in Senegal: a cross sectional study. *BMC Pregnancy and Childbirth*, 17(1), 211.

Reiss, K., Aung, O., Aung, M. M., & Ngo, T. D. (2014). Availability and provision of Abortifacients among pharmacies in a restricted southeast Asian City. *J Pharma Care Health Sys SI-005*. doi, 10, 2.

Sawadogo, Y. A., Zamane, H., Kiemtore, S., Touré, B., & Kain, D. P. (2019). Maternal Mortality by Direct Obstetric Causes in an Urban Referral Hospital: Case of Boulmiougou District Hospital in Ouagadougou, Burkina Faso. *J Gynecol Women Healthcare*, 1, 202.

Say, L., Chou, D., Gemmill, A., Tunçalp, Ö., Moller, A.-B., Daniels, J., Gülmезoglu, A. M., Temmerman, M., & Alkema, L. (2014). Global causes of maternal death: A WHO systematic analysis. *The Lancet Global Health*, 2(6), e323-e333. [https://doi.org/10.1016/S2214-109X\(14\)70227-X](https://doi.org/10.1016/S2214-109X(14)70227-X)

Schantz, C., Aboubakar, M., Traoré, A. B., Ravit, M., de Loenzien, M., & Dumont, A. (2020). Caesarean section in Benin and Mali: Increased recourse to technology due to suffering and under-resourced facilities. *Reproductive Biomedicine & Society Online*, 10, 10-18. <https://doi.org/10.1016/j.rbms.2019.12.001>

Sedgh, Sylla, Philbin, Keogh, & Ndiaye. (2015). Estimates of the Incidence of Induced Abortion and Consequences of Unsafe Abortion in Senegal. *International Perspectives on Sexual and Reproductive Health*, 41(1), 11. <https://doi.org/10.1363/4101115>

Sheldon, W. R., Blum, J., Durocher, J., and Winikoff, B. (2012). Misoprostol for the prevention and treatment of postpartum hemorrhage. *Expert Opin. Investig. Drugs* 21 (2), 235-250. doi:10.1517/13543784.2012.647405

Shochet, T., Diop, A., Gaye, A., Nayama, M., Bal Sall, A., Bukola, F., ... Winikoff, B. (2012). Sublingual misoprostol versus standard surgical care for treatment of incomplete abortion in 5 sub-Saharan African countries. *BMC Pregnancy and Childbirth*, 12, 127-134.

Singh S et al, *Abortion Worldwide 2017: Uneven Progress and Unequal Access*, New York: Guttmacher Institute, 2018.

Smith, J. M., Gubin, R., Holston, M. M., Fullerton, J., and Prata, N. (2013). Misoprostol for postpartum hemorrhage prevention at home birth: an integrative review of global implementation experience to date. *BMC Pregnancy Childbirth* 13 (1), 44. [doi:10.1186/1471-2393-13-44](https://doi.org/10.1186/1471-2393-13-44)

Solheim, I., Moland, K., Kahabuka, C., Pembe, A., & Blystad, A. (2020). Beyond the law: Misoprostol and medical abortion in Dar es Salaam, Tanzania. *Social Science & Medicine*, 245, 112676.

Stanton, C. (2008). Steps toward achieving skilled attendance at birth. *Bulletin of the World Health Organization*, 86(4), 242-242A. <https://doi.org/10.2471/blt.08.052928>

Storeng, K. T., & Ouattara, F. (2014). The politics of unsafe abortion in Burkina Faso: the interface of local norms and global public health practice. *Global public health*, 9(8), 946-959.

Suh, S. (2021a). A Stalled Revolution? Misoprostol and the pharmaceuticalization of reproductive health in Francophone Africa. *Frontiers in Sociology*, 6.

Suh, S. (2021b). *Dying to count: Post-abortion care and global reproductive health politics in Senegal*. Rutgers University Press.

Tagoe-Darko, E. (2013). "Fear, Shame and Embarrassment: The Stigma Factor in Post-Abortion Care at Komfo Anokye Teaching Hospital, Kumasi, Ghana. *Asian Social Science*, 9(10). <https://doi.org/10.5539/ass.v9n10p134>

Uysal, J., Tavrow, P., Hsu, R., & Alterman, A. (2019). Availability and accessibility of emergency contraception to adolescent callers in pharmacies in four southwestern states. *Journal of Adolescent Health*, 64(2), 219-225.

von Hertzen, H., Piaggio, G., Huong, N. T. M., Arustamyan, K., Cabezas, E., and Gomez, M. WHO Research Group on Postovulatory Methods of Fertility Regulation. (2007). Efficacy of two intervals and two routes of administration of misoprostol for termination of early pregnancy: a randomised controlled equivalence trial. *Lancet (London, England)* 369 (9577), 1938–1946, doi:10.1016/S0140-6736(07)60914-3

WLP. (2010, August 4). *Misoprostol: A Catalyst for Revolution?* Project. <https://www.womenslawproject.org/2010/08/04/misoprostol-a-catalyst-for-revolution/>

WHO. (2011). Unsafe abortion: global and regional estimates of the incidence of unsafe abortion and associated mortality in 2008. [Report] Available at: https://apps.who.int/iris/bitstream/handle/10665/44529/9789241501118_eng.pdf?sequence=1.

WHO. (2016). *Health workforce requirements for universal health coverage and the Sustainable Development Goals*. World Health Organization. <http://www.who.int/hrh/resources/health-observer17/en/>

World Health Organization 2019. *Medical management of abortion*. Geneva: World Health Organization; 2018. License: CC BY-NC-SA 3.0 IGO.

WHO 2019. Maternal mortality in 2000-2017, Burkina Faso. Retrieved from https://www.who.int/gho/maternal_health/countries/bfa.pdf.

WHO. (2021). *Births attended by skilled health personnel (%)*. [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/births-attended-by-skilled-health-personnel-\(%\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/births-attended-by-skilled-health-personnel-(%))

Wilson, A. M. (1998). The use of mystery shopping in the measurement of service delivery. *Service Industries Journal*, 18(3), 148-163.

Zamané, H., Sow, H. E., Kain, D. P., Bicaba, B. W., Kiemtoré, S., Yameogo, I., ... & Sawadogo, M. (2018). Maternal Mortality at the Dori Regional Hospital in Northern Burkina Faso, 2014-2016. *International Journal of MCH and AIDS*, 7(2), 235.